

10/09/93, 933

	Type	Ref #	Hits	Search Text	DBs
1	IS&R	S1	2	((("4459819") or ("5005636"))).PN.	US-PGPUB; USPAT; EPO; JPO
2	IS&R	S2	1	("20030171092").PN.	US-PGPUB; USPAT; EPO; JPO
3	BRS	S7	3	S5 and "236"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	BRS	S6	2	S5 and "454"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	BRS	S4	1	(flow near2 sens\$3) same (electrical adj disconnect)	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	BRS	S8	15	(flow near2 sens\$3) and (electrical adj disconnect)	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	BRS	S5	543	(electrical adj disconnect)	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	BRS	S9	5	(electrical adj disconnect) with remote	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	BRS	S10	14	(electrical adj disconnect) same remote	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	BRS	S11	9	S10 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	BRS	S13	18	(electrical adj disconnect) and ventilation	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	BRS	S12	40	(electrical adj disconnect) with unit	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	BRS	S14	45	(duct or plenum) and (electrical adj disconnect)	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	BRS	S15	8	(duct or plenum) same (electrical adj disconnect)	US-PGPUB; USPAT; EPO; JPO; DERWENT
15	BRS	S3	4	(duct or plenum) and (flow near2 sens\$3) and (electrical adj disconnect)	US-PGPUB; USPAT; EPO; JPO; DERWENT
16	BRS	S16	5768	(duct or plenum) and (flow near2 sens\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
17	BRS	S18	384	(duct or plenum) same (flow near2 sens\$3) same ((flow near2 control\$3) or baffle or damper)	US-PGPUB; USPAT; EPO; JPO; DERWENT
18	BRS	S17	3238	(duct or plenum) and (flow near2 sens\$3) and ((flow near2 control\$3) or baffle or damper)	US-PGPUB; USPAT; EPO; JPO; DERWENT
19	BRS	S19	130	S18 and ("454"/\$ or "236"/\$ or "62"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	BRS	S20	9	S19 and retrofit	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	BRS	S21	3261	supply with (plenum or duct) with (air near2 flow)	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	BRS	S23	425	S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT
23	BRS	S22	1503	return with (plenum or duct) with (air near2 flow)	US-PGPUB; USPAT; EPO; JPO; DERWENT
24	BRS	S26	99	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT
25	BRS	S24	788	supply with (plenum or duct) with (air near2 flow) with control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT
26	BRS	S27	78	supply with (plenum or duct) with (air near2 flow) with controller	US-PGPUB; USPAT; EPO; JPO; DERWENT
27	BRS	S25	260	return with (plenum or duct) with (air near2 flow) with control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT
28	BRS	S29	12	S27 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT
29	BRS	S28	31	return with (plenum or duct) with (air near2 flow) with controller	US-PGPUB; USPAT; EPO; JPO; DERWENT
30	IS&R	S30	1189	(236/49.3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
31	IS&R	S31	145	(454/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
32	IS&R	S32	113	(454/239) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
33	IS&R	S34	367	(454/256) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
34	IS&R	S33	125	(454/255) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
35	IS&R	S35	364	(165/217) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT
36	BRS	S37	0	S36 and (heat adj exchanger)	USPAT
37	BRS	S38	0	S36 and (evaporator or condenser)	USPAT
38	BRS	S36	4	(US-6571572-\$ or US-4585163-\$ or US-6227961-\$ or US-6357243-\$) .did.	USPAT